

Plant List (1940s)

Ordered by common name

Ordered by scientific name



Ordered by common name

- Allseed** **Radiola linoides* Roth. Cliffs north of island.
- Amphibious Persicaria** *Polygonum amphibium* L. Recorded by R. S. R. F., 1943; and M. G., 1945.
- Annual Meadow-grass** *P. annua* L. Abundant, waste places.
- Barren Strawberry** *Potentilla sterilis* (L.) Garck.
- Bell Heather** *Erica cinerea* L.
- Bird's-foot Trefoil** *Lotus corniculatus* L.
- Bittersweet** *Solanum Dulcamara* L.
- Black Poplar** *Populus nigra* L. In the garden of farm.
- Black Spleenwort** *Asplenium Adiantum-nigrum* L. Chiefly walls near farm.
- Blackberry** *Rubus fruticosus* agg. Subspecies not determined.
- Blackthorn** **Prunus spinosa* L. Very ancient shrubs resembling Blackthorn, covered with lichen and no fruit seen 1945. No spines. Stream 4 and south of farm. (Fruit 1946.)
- Bluebell** *S. non-scripta* (L.). Hoffm. & Link.
- Bog Pimpernel** *Anagallis tenella* (L.) Murr. Common in all marshy places.
- Bog Stitchwort** *Stellaria alsine* Grimm.
- Bracken** *Pteridium aquilinum* (L.) Kuhn. Abundant.
- Bristle Club-rush** **Scirpus setaceus* L.
- Broad Shield Fern** *Dryopteris spinulosa* (Mull.) Warr. Stream 4.
- Brooklime** *Veronica Beccabunga* L.
- Brookweed** *Samolus Valeranli* L.
- Brown Bent Grass** *Agrostis canina* L. Rare.
- Buck's-horn Plantain** *Plantago Coronopus* L. Common round coast and very variable in shape of leaf and size.
- Buck's-horn Plantain** *Plantago Coronopus* var. *ceratophyllon* Rapin. Recorded by H. A. H., 1927.
- Buck's-horn Plantain** *Plantago Coronopus* var. *maritima* Gren. & Godr. 1946, det. W. B. Turill.
- Burdock** *Arctium* sp. (probably *A. minus* (Hill.) Bernh.) North Haven.
- Burnet Rose** *Rosa spinosissima* L. Rare round cliffs.
- Carnation Sedge** *Carex panicea* L.
- Cat's-ear** *Hypochaeris radicata* L.
- Centauray** **Centaureum umbellatum* Gilib. Grazed grass south of farm. (near var. *subcapitatum* (Corb.) Gilmour.)
- Chickweed** **Stellaria media* (L.) Vill.
- Cleavers** *Galium Aparine* L. West cliffs of North Haven.
- Cock's-foot Grass** *Dactylis glomerata* *var. *abbreviata* Drej. The variety growing in dry places along cliffs.
- Cock's-foot Grass** *Dactylis glomerata* L.
- Common Mouse-ear Chickweed** **Cerastium vulgatum* L.
- Common Nettle** *Urtica dioica* L. Common, waste places, especially round farm.
- Common Polypody** *Polypodium vulgare* L.
- Common Rush** **Juncus conglomeratus* L. Recorded by H. A. H. 1927.
- Common Scurvy-grass** *Cochlearia officinensis* L.
- Common Skullcap** *Scutellaria galericulata* L. Stream 3.
- Common Sorrel** *Rumex Acetosa* L.
- Common Sowthistle** *Sonchus oleraceus* L.
- Common Speedwell** *Veronica officinalis* L.
- Common Spleenwort** *Asplenium Trichomanes* L. Walls near farm.
- Common Stork's bill** *Erodium cicutarium* agg.
- Common Vetch** *Vicia sativa* L. North cliffs near stream 4. No flowers.

Corn Marigold *Chrysanthemum segetum* L. Middleholm.
Corn Sowthistle *Sonchus arvensis* L.
Corn Spurrey *Spergula* sp. (probably *S. arvensis* L.) Introduced.
Creeping Buttercup *Ranunculus repens* L.
Creeping Cinquefoil **Potentilla procumbens* Sibth. Frequent in grazing grass round farm.
Creeping Club-rush *Eleocharis palustris* (L.) Roem. & Schult.
Creeping Forget-me-not **Myosotis secunda* A. Murr.
Creeping Thistle *Cirsium arvense* (L.) Scop.
Cross-leaved Heath *Erica Tetralix* L.
Cuckoo-flower *Cardamine pretensis* L.
Cuckoo-pint *Arum maculatum* L.
Curled Dock *Rumex crispus* L.
Daisy *Bellis perennis* L.
Dandelion *Taraxacum officinale* Weber.
Darnel Poa **Desmazeria loliacea* (Huds.) Nym. On the Basin.
Dog Violet *Viola Riviniana* Rchb.
Dove's-foot Crane's-bill *Geranium molle* L. By wooden hut.
Dutch Clover *Trifolium repens* L.
Dwarf Spurge *Euphorbia exigua* L.
Early Forget-me-not *Myosotis collina* Hoffm. Waste places, especially near farm.
Early Hair-grass **Aira praecox* L. On knoll by wooden hut.
Early purple Orchid *Orchis mascula* (L.) L. Found by M. G., 1945.
Elder *Sambucus nigra* L.
English Stonecrop *Sedum anglicum* Huds. Common. Cliffs.
Eyebright **Euphrasia* sp. probably *E. occidentalis* Wettst.
False Oat *Arrhenatherum elatius* (L.) J. & C. Presl.
Field Cabbage *Brassica campestris* L. One plant.
Field Forget-me-not *Myosotis arvensis* (L.) Hill.
Field Wood-rush *Luzula campestris* (L.) DC.
Figwort *Scrophularia nodosa* L.
Fiorin Grass *Agrostis stolonifera* L. Abundant. In grazed grass west of farm. This small variety is usually infected with smut, but the specimens collected were free.
Floating Club-rush **Scirpus fluitans* L. Found by J. B., 1946.
Flote-grass *Glyceria fluitans* (L.) R. Br.
Forget-me-not *Myosotis caespitosa* K. F. Schultz.
Foxglove *Digitalis purpurea* L.
Fragrant Agrimony **Agrimonia odorata* (Gouan.) Mill. South of farm.
Garlic-Mustard *Allierie petioleta* (Bieb.) Cavara & Grande. In garden of farm.
Germander Speedwell *Veronica Chamaedrys* L.
Golden Rod *Solidago Virgaurea* L. Southern cliffs on the Neck.
Gorse *Ulex europaeus* L.
Greater Plantain *Plantago major* L.
Green-ribbed Sedge *Carex binervis* Sm. Recorded by H. A. H., 1927.
Ground Ivy *Glechoma hederacea* L.
Groundsel *Senecio vulgaris* L.
Hairy Bittercress *Cardamine hirsute* L.
Hard Fern *Blechnum spicant* (L.) Roth. Stream 4.
Hart's-tongue *Phyllitis Scolopendrium* (L.) Newm. Disused lime kiln.
Heath Bedstraw *Galium saxatile* L. Abundant.
Heath Grass **Sieglingia decumbens* (L.) Bernh.
Heath Milkwort **Polygala serpyllifolia* Hose.
Heath Pearlwort **Sagina subulata* (Sw.) C. Presl. Common.
Hemlock *Conium maculatum* L.
Hemlock Water Dropwort *Oenanthe crocata* L.

Hemp Agrimony *Eupatorium cannabinum* L.
Hogweed *Heracleum Sphondylium* L.
Honeysuckle *Lonicera Periclymenum* L. Cliffs of North Haven and the Neck.
Ivy *Hedera Helix* L. Cliffs.
Ivy-leaved Crowfoot **Ranunculus hederaceus* L. Streams 1 and 2.
Jointed Rush Jointed Rush **Juncus articulatus* L. Found by P. C., August 1947.
Kidney Vetch *Anthyllis Vulneraria* L.
Ladies-Bedstraw *Galium verum* L.
Lady Fern *Athyrium Filix-femina* (L.) Roth. Stream 4.
Lesser Celandine *Ranunculus Ficaria* L.
Lesser Clover *Trifolium dubium* Sibth.
Lesser Hawkbit * *Leontodon Leysseri* (Wallr.) Beck. Grazed grass around farm.
Lesser Jointed Rush **Juncus butbosus* L.
Lesser Skullcap *Scutellaria minor* Huds. Most marshy places.
Lesser Spearwort *Ranunculus Flemmula* L. Common.
Lesser Stitchwort *Stellaria graminea* L.
Lesser Swine-cress *Coronopus didymus* (L.) Sm. On the 'bridge' between main island and the Neck.
Ling *Calluna vulgaris* (L.) Hull. Abundant.
Lousewort *Pedicularis sylvatica* L. Common.
Madder *Rubia peregrina* L. Path leading up from North Haven.
Male Fern *Dryopteris Filix-mas.* (L.) Schott. Stream 4.
Marsh Bedstraw *Galium palustre* L.
Marsh Bird's-foot Trefoil *Lotus uliginosus* Schk. Stream 4 and other marshy places.
Marsh Cudweed * *Gnaphalium uliginosum* L. Weed in old garden.
Marsh Pennywort *Hydrocotyle vulgaris* L. Common in marshy places.
Marsh St. John's-wort *Hypericum elodes* L. Most marshy places.
Marsh Thistle *Cirsium palustre* (L.) Scop.
Meadow Grass *Poa pratensis* L.
Meadow Pea *Lathyrus pratensis* L. North cliffs near stream 4.
Meadow-sweet *Filipendula Ulmaria* (L.). Maxim. Stream 4.
Milkwort **Polygala vulgaris* L. (Milkwort).
Mouse-ear Chickweed *Cerastium Viscosum* L.
Navelwort *Umbilicus pendulinus* DC. Cliffs.
Orache **Atriplex hastata* L. Cliffs, common.
Orpine *Sedum Telephium* L. Cliffs along north coast.
Oval Sedge *Carex ovalis* Good.
Ox-eye Daisy *C. Leucanthemum* L. One plant, Bull Hole.
Persicaria **Persicaria Persicaria* L.
Petty Spurge *Euphorbia Peplus* L. Waste places round farm.
Pondweed *Potamogeton polygonifolius* Pourr. Stream 4 and pond, and other streams.
Portland Spurge **Euphorbia portlandica* L. North Haven and on the Neck.
Prickly Sedge **Carex Pairaei*. F. Schultz.
Prickly Sowthistle *Sonchus asper* (L.) Hill.
Primrose *Primula vulgaris* Huds.
Procumbent Apium *var. *ochreatum* (DC). Dr. *ochreatum* submerged in most streams. Contrary to previous records from Skomer and Skokholm no *inundatum* was found.
Procumbent Apium *Apium nodiflorum* (L.) Lag. This plant very variable and growing profusely as in Stream 4 or as the dwarf variety.
Procumbent Pearlwort **Sagina procumbens* L.
Purple Loosestrife *Lythrum Salicaria* L.
Purple Moor Grass *Molinia caerulea* (L.) Moench. Common.

Ragged Robin *Lychnis Flos-cuculi* L. Found by E. M., R. M. L., and J. B., June-July 1946.

Ragwort *Senecio Jacobaea* L.

Ramsons *Allium ursinum* L. Stream 4 nearing sea cliffs.

Rat's Tail Fescue **Vulpia bromoides* (L.) S. F. Gray. Old wall near farm.

Red Campion *Melandrium dioicum* (L.) Coss. & Germ. Some very fine specimens with deep coloured flowers on northern cliffs.

Red Dead-Nettle *Lamium purpureum* L.

Red Fescue **Festuca rubra* L. North Haven.

Red Goosefoot **Chenopodium rubrum* L.

Ribwort Plantain *Plantago lanceolata* L.

Rock Sea Lavender *Limonium binervosum* (G. E. Smith) C. E. Salmon.

Rough Meadow-grass *Poa trivialis* L. (Rough Meadow-grass).

Rush **Juncus acutiflorus* Hoffm. Stream 4 and other marshy places.

Samphire *Crithmum maritimum* L. Cliffs, not common.

Sand Spurrey **Spergularia rupicola* Lebel. Fairly common round cliffs.

Scarlet Pimpernel **Anagallis arvensis* L.

Scentless Mayweed **Matricaria inodora* L. Common round cliffs. Leaves often rather fleshy.

Scurvy-grass *Cochlearia danica* L. Cliffs and walls.

Sea Campion *Silene maritima* (Hornem.) With. Abundant all round coast.

Sea Mouse-ear Chickweed *Cerastium tetrandrum* Curt.

Sea Plantain *Plantago maritima* L.

Sea Purslane *Obione Portulacoides* (L.) Moq.

Sea Spleenwort *Asplenium marinum* L. Cliffs along north coast.

Sea Stork's bill **Erodium maritimum* (L.) Ait. Common around coast and waste places.

Self-heal *Prunella vulgaris* L. In grazed grass around farm. One plant with white flowers seen.

Sheep's Fescue *F. ovina* L. Common.

Sheep's Sorrel *Rumex .Acetosella* L. Common.

Sheepsbit *Jasione montana* L. Especially fine plants in North Haven.

Sheepsbit *Jasione montana* var. *latifolia* (L.) Pugsl. Found by H. A. H., 1927.

Shoreweed *Littorella uniflora* (L.) Asch. This plant is not recorded from Pembrokeshire in Druce's Comital Flora, but is included in R. M. L.'s Flora of Skokholm (1927-1940) and was found by H. A. H. on Skomer in 1927. Not seen in spite of careful search in 1945, but recorded by E. M. in 1946.

Silver-weed *Potentilla anserina* L.

Silvery Hair-grass *Aira caryophyllea* L.

Slender Club-rush **Scirpus cernuus* Vahl. Found by P. C., August 1947.

Slender False-brome **Brachypodium sylvaticum* (Huds.) Beauv. North Haven.

Small Duckweed *Lemna minor* L.

Small Mouse-ear Chickweed *Cerastium semidecandrum* L.

Small Nettle *Urtica urens* L. Waste ground on the Bridge separating North and South Haven.

Smooth Hawk's-beard *Crepis capillaris* (L.) Wallr. On wall of barn.

Soft Brome-grass *Bromus* sp. (? hordeaceus).

Soft Rush **Juncus efusus* L. Frequent.

Soft Rush *Juncus efusus* *var. *compactus* Lej. & Court.

Spear Thistle *Cirsium vulgare* (Savi) Ten.

Spring Sedge **Carex caryophyllea* Latour.

Spring Squill *Scilla verna* Huds. Frequent round cliffs.

Square-stalked St. John's-wort *Hypericum quadrangulum* L.

Square-stemmed Willow-herb *Epilobium tetragonum* L.

Starwort *Callitriche* sp.

Sweet Vernal Grass *Anthoxanthum odoratum* L.
Thrift *Armeria maritima* Willd. Abundant.
Thyme *Thymus Serpyllum* agg. Common.
Toad Rush **Juncus bufonius* L.
Tormentil **Potentilla erecta* Hampe. Frequent.
Trailing St. John's-wort *Hypericum humifusum* L. South and east of farm.
Tree Mallow *Lavatera arborea* L. North Haven
Tufted Vetch *Vicia Cracca* L. var. *carnea* Schrank. Fairly common on bare patches and growing profusely on the northern slopes of the Wick, together with plants which have salmon-pink flowers, var. *carnea*. var. *pseudo-botryoides* Syme. Several plants on waste ground exposed by trampling of cattle on the 'Bridge' separating North Haven from South Haven.
Wall Pepper *Sedum acre* L. South Cliffs on the Neck. Rare
Wall Speedwell *Veronica arvensis* L.
Wall-Rue *Asplenium Ruta-muraria* L. Chiefly walls near farm.
Water Blinks **Montia chondrosperma* Fenzl.
Water Crowfoot *Ranunculus aquatilis* L. (sub-species not determined) In large pond NW. of farm.
Water Figwort *Scrophularia aquatica* L.
Water Pepper **Persicaria Hydropiper* L.
Water Purslane *Peplis Portula* L.
Watercress *Nasturtium officinale* R. Br. Found by M. G., June 1945, and J. B., July 1946.
Watercress *Nasturtium officinale* var. *microphyllum* (Crantz). Dr. Found by H. A. H., 1927.
Watermint *Mentha aquatica* L. Stream 4 and other marshy places.
Wetted Thistle *Carduus acanthoides* L.
Western Gorse **Ulex Gallii* Planch. Specimen sent by J. B., July 15th, 1946.
White Goosefoot *Chenopodium album* L. Common in waste places.
Wild Angelica *Angelica sylvestris* L. Stream 3.
Wild Beet *Beta maritima* L. North Haven.
Wild Strawberry? *Fragaria chiloensis* Duchesne. Growing on disused lime kiln near Harold Stone, North Haven.
Wood Groundsel *Senecio sylvaticus* L. Path leading up from North Haven.
Wood Sage *Teucrium Scorodonia* L. Common.
Yarrow *Achillea millefolium* L.
Yellow and Blue Forget-me-not *Myosotis versicolor* Sm. Waste places around farm.
Yellow Flag Iris *Pseudacorus* L. Frequent.
Yellow Fleabane *Pulicaria dysenterica* (L.) Bernh.
Yellow Sedge **Carex tumidicarpa* Anderss. (*C. flava* L. var. *oedocarpa* Anderss.)
Yorkshire Fog *Holcus lanatus* L. Common.

Ordered by scientific name

Achillea millefolium L. **Yarrow**
Agrimonia odorata (Gouan.) Mill. **Fragrant Agrimony** * South of farm.
Agrostis canina L. **Brown Bent Grass** Rare.
Agrostis stolonifera L. **Fiorin Grass** Abundant. In grazedgrass west of farm. This small variety is usually infected with smut, but the specimens collected were free.
Aira caryophyllea L **Silvery Hair-grass**.
Aira praecox L. **Early Hair-grass** * On knoll by wooden hut.
Allierie petioleta (Bieb.) Cavara & Grande. **Garlic-Mustard** In garden of farm.
Allium ursinum L. **Ramsons** Stream 4 nearing sea cliffs.
Anagallis arvensis L. **Scarlet Pimpernel** *
Anagallis tenella (L.) **Bog Pimpernel** Murr. Common in all marshy places.
Angelica sylvestris L. **Wild Angelica** Stream 3.
Anthoxanthum odoratum L **Sweet Vernal Grass**.
Anthyllis Vulneraria L **Kidney Vetch**.
Apium nodiflorum (L.) Lag. **Procumbent Apium** This plant very variable and growing profusely as in Stream 4 or as the dwarf variety.
Apium nodiflorum (L.) **Procumbent Apium** Lag. *var. ochreatum (DC). Dr. ochreatum submerged in most streams. Contrary to previous records from Skomer and Skokholm no inundatum was found.
Arctium sp. (probably A. minus (Hill.) **Burdock** Bernh.) North Haven.
Armeria maritima Willd. **Thrift** Abundant.
Arrhenatherum elatius (L.) **False Oat** J. & C. Presl.
Arum maculatum L. **Cuckoo-pint**
Asplenium Adiantum-nigrum L. **Black Spleenwort** Chiefly walls near farm.
Asplenium marinum L. **Sea Spleenwort** Cliffs along north coast.
Asplenium Ruta-muraria L. **Wall-Rue** Chiefly walls near farm.
Asplenium Trichomanes L. **Common Spleenwort** Walls near farm.
Atriplex hastata L. **Orache** * Cliffs, common.
Bellis perennis L. **Daisy**
Beta maritima L. **Wild Beet** North Haven.
Blechnum spicant (L.) Roth. **Hard Fern** Stream 4.
Brachypodium sylvaticum (Huds.) **Slender False-brome** * Beauv. North Haven.
Brassica campestris L. **Field Cabbage** One plant.
Bromus sp. (? hordeaceus). **Soft Brome-grass**
C. Leucanthemum L. **Ox-eye Daisy** One plant, Bull Hole.
Callitriche sp. **Starwort**
Calluna vulgaris (L.) Hull. **Ling** Abundant.
Cardamine hirsute L. **Hairy Bittercress**
Cardamine pretensis L **Cuckoo-flower**.
Carduus acanthoides L. **Wetted Thistle**
Carex binervis Sm. **Green-ribbed Sedge** Recorded by H. A. H., 1927.
Carex caryophyllea Latour. **Spring Sedge** *
Carex ovalis Good. **Oval Sedge**
Carex Pairaei. F. Schultz. **Prickly Sedge** *
Carex panicea L. **Carnation Sedge**
Carex tumidicarpa Anderss. **Yellow Sedge** * (C.flava L. var. oedocarpa Anderss.)
Centaurium umbellatum Gilib. **Centaury** * Grazed grass south of farm. (near var. subcapitatum (Corb.) Gilmour.)
Cerastium semidecandrum L. **Small Mouse-ear Chickweed**
Cerastium tetrandrum Curt. **Sea Mouse-ear Chickweed**
Cerastium Viscosum L. **Mouse-ear Chickweed**
Cerastium vulgatum L. **Common Mouse-ear Chickweed** *
Chenopodium album L. **White Goosefoot** Common in waste places.

Chenopodium rubrum L. **Red Goosefoot** *
Chrysanthemum segetum L. **Corn Marigold** Middleholm.
Cirsium arvense (L.) Scop. **Creeping Thistle**
Cirsium palustre (L.) Scop. **Marsh Thistle**
Cirsium vulgare (Savi) Ten. **Spear Thistle**
Cochlearia danica L. **Scurvy-grass** Cliffs and walls.
Cochlearia officinensis L. **Common Scurvy-grass**
Conium maculatum L. **Hemlock**
Coronopus didymus (L.) **Lesser Swine-cress** Sm. On the 'bridge' between main island and the Neck.
Crepis capillaris (L.) Wallr. **Smooth Hawk's-beard** On wall of barn.
Crithmum maritimum L. **Samphire** Cliffs, not common.
Dactylis glomerata *var. *abbreviata* Drej **Cock's-foot Grass**. The variety growing in dry places along cliffs.
Dactylis glomerata L. **Cock's-foot Grass**
Desmazeria loliacea (Huds.) Nym. **Darnel Poa** * On the Basin.
Digitalis purpurea L. **Foxglove**
Dryopteris Filix-mas. (L.) **Male Fern** Schott. Stream 4.
Dryopteris spinulosa (Mull.) Warr. **Broad Shield Fern** Stream 4.
Eleocharis palustris (L.) **Creeping Club-rush** Roem. & Schult.
Epilobium tetragonum L. **Square-stemmed Willow-herb**
Erica cinerea L. **Bell Heather** '
Erica Tetralix L. **Cross-leaved Heath**
Erodium cicutarium agg **Common Stork's bill**
Erodium maritimum (L.) Ait **Sea Stork's bill** *. Common around coast and waste places.
Eupatorium cannabinum L. **Hemp Agrimony**
Euphorbia exigua L. **Dwarf Spurge**
Euphorbia Peplus L. **Petty Spurge** Waste places round farm.
Euphorbia portlandica L. **Portland Spurge** * North Haven and on the Neck.
Euphrasia sp. probably *E. occidentalis* **Eyebright** * Wettst.
F. ovina L. **Sheep's Fescue** Common.
Festuca rubra L. **Red Fescue** * North Haven.
Filipendula Ulmaria (L.). **Meadow-sweet** Maxim. Stream 4.
Filix-femina (L.) **Lady Fern** Athyrium Roth. Stream 4.
Fragaria chiloensis Duchesne. **Wild Strawberry?** Growing on disused lime kiln near Harold Stone, North Haven.
Galium Aparine L. **Cleavers** West cliffs of North Haven.
Galium palustre L. **Marsh Bedstraw**
Galium saxatile L. **Heath Bedstraw** Abundant.
Galium verum L. **Ladies-Bedstraw**
Geranium molle L. **Dove's-foot Crane's-bill** By wooden hut.
Glechoma hederacea L. **Ground Ivy**
Glyceria fluitans (L.) **Flote-grass** R. Br.
Gnaphalium uliginosum L. **Marsh Cudweed** * Weed in old garden.
Hedera Helix L. **Ivy** Cliffs.
Heraclium Sphondylium L **Hogweed**.
Holcus lanatus L. **Yorkshire Fog** Common.
Hydrocotyle vulgaris L. **Marsh Pennywort** Common in marshy places.
Hypericum elodes L. **Marsh St. John's-wort** Most marshy places.
Hypericum humifusum L. **Trailing St. John's-wort** South and east of farm.
Hypericum quadrangulum L. **Square-stalked St. John's-wort**
Hypochaeris radicata L. **Cat's-ear**
Jasione montana L. **Sheepsbit** Especially fine plants in North Haven.
Jasione montana var. *latifolia* (L.) Pugsl. **Sheepsbit** Found by H. A. H., 1927.
Juncus acutiflorus Hoffm. **Rush** * Stream 4 and other marshy places.
Juncus articulatus L. **Jointed Rush** * Found by P. C., August 1947.
Juncus bufonius L. **Toad Rush** *

Juncus butbosus L. **Lesser Jointed Rush** *
Juncus conglomeratus L. **Common Rush** * Recorded by H. A. H. 1927.
Juncus efusus *var. *compactus* Lej. & Court **Soft Rush**.
Juncus efusus L. **Soft Rush** * Frequent.
Lamium purpureum L. **Red Dead-Nettle**
Lathyrus pratensis L. **Meadow Pea** North cliffs near stream 4.
Lavatera arborea L. **Tree Mallow** North Haven
Lemna minor L. **Small Duckweed**
Leontodon Leysseri (Wallr.) Beck. **Lesser Hawkbit** * Grazed grass
 around farm.
Limonium binervosum (G. E. Smith) C. E. Salmon. **Rock Sea Lavender**
Littorella uniflora (L.) Asch **Shoreweed**. This plant is not recorded
 from Pembrokeshire in Druce's Comital Flora, but is included in R. M.
 L.'s Flora of Skokholm (1927-1940) and was found by H. A. H. on
 Skomer in 1927. Not seen in spite of careful search in 1945, but
 recorded by E. M. in 1946.
Lonicera Periclymenum L. **Honeysuckle** Cliffs of North Haven and the
 Neck.
Lotus corniculatus L. **Bird's-foot Trefoil**
Lotus uliginosus Schk. **Marsh Bird's-foot Trefoil** Stream 4 and other
 marshy places.
Luzula campestris (L.) DC. **Field Wood-rush**
Lychnis Flos-cuculi L. **Ragged Robin** Found by E. M., R. M. L., and J.
 B., June-July 1946.
Lythrum Salicaria L. **Purple Loosestrife**
Matricaria inodora L. **Scentless Mayweed** * Common round cliffs. Leaves
 often rather fleshy.
Melandrium dioicum (L.) **Red Campion** Coss. & Germ. Some very fine
 specimens with deep coloured flowers on northern cliffs.
Mentha aquatica L. **Watermint** Stream 4 and other marshy places.
Molinia caerulea (L.) Moench. **Purple Moor Grass** Common.
Montia chondrosperma Fenzl. **Water Blinks** *
Myosotis arvensis (L.) Hill. **Field Forget-me-not**
Myosotis caespitosa K. F. Schultz. **Forget-me-not**
Myosotis collina Hoffm. **Early Forget-me-not** Waste places, especially
 near farm.
Myosotis secunda A. Murr **Creeping Forget-me-not** *.
Myosotis versicolor Sm. **Yellow and Blue Forget-me-not** Waste places
 around farm.
Nasturtium officinale R. Br. **Watercress** Found by M. G., June 1945,
 and J. B., July 1946.
Nasturtium officinale var. *microphyllum* (Crantz). **Watercress** Dr.
 Found by H. A. H., 1927.
Obione Portulacoides (L.) Moq. **Sea Purslane**
Oenanthe crocata L. **Hemlock Water Dropwort**
Orchis mascula (L.) **Early purple Orchid** L. Found by M. G., 1945.
P. annua L. **Annual Meadow-grass** Abundant, waste places.
Pedicularis sylvatica L. **Lousewort** Common.
Peplis Portula L. **Water Purslane**
Persicaria Hydropiper L. **Water Pepper** *
Persicaria Persicaria L. **Persicaria** *
Phyllitis Scolopendrium (L.) Newm. **Hart's-tongue** Disused lime kiln.
Plantago Coronopus L. **Buck's-horn Plantain** Common round coast and
 very variable in shape of leaf and size.
Plantago Coronopus var. *ceratophyllon* **Buck's-horn Plantain** Rapin.
 Recorded by H. A. H., 1927.
Plantago Coronopus var. *maritima* **Buck's-horn Plantain** Gren. & Godr.
 1946, det. W. B. Turrill.
Plantago lanceolata L. **Ribwort Plantain**
Plantago major L. **Greater Plantain**
Plantago maritima L. **Sea Plantain**

Poa pratensis L. **Meadow Grass**
Poa trivialis L. **Rough Meadow-grass**
Polygala serpyllifolia Hose. **Heath Milkwort** *
Polygala vulgaris L. **Milkwort** * (Milkwort).
Polygonum amphibium L. **Amphibious Persicaria** Recorded by R. S. R. F., 1943; and M. G., 1945.
Polypodium vulgare L. **Common Polypody**
Populus nigra L. **Black Poplar** In the garden of farm.
Potamogeton polygonifolius Pourr. **Pondweed** Stream 4 and pond, and other streams.
Potentilla anserina L. **Silver-weed**
Potentilla erecta Hampe. **Tormentil** * Frequent.
Potentilla procumbens Sibth. **Creeping Cinquefoil** * Frequent in grazing grass round farm.
Potentilla sterilis (L.) **Barren Strawberry** Garck.
Primula vulgaris Huds. **Primrose**
Prunella vulgaris L. **Self-heal** In grazed grass around farm. One plant with white flowers seen.
Prunus spinosa L. **Blackthorn** * Very ancient shrubs resembling Blackthorn, covered with lichen and no fruit seen 1945. No spines. Stream 4 and south of farm. (Fruit 1946.)
Pseudacorus L. **Yellow Flag Iris** Frequent.
Pteridium aquilinum (L.) **Bracken** Kuhn. Abundant.
Pulicaria dysenterica (L.) Bernh **Yellow Fleabane**.
Radiola linoides Roth. **Allseed** * Cliffs north of island.
Ranunculus aquatilis L. **Water Crowfoot** (sub-species not determined) In large pond NW. of farm.
Ranunculus ficaria L. **Lesser Celandine**
Ranunculus flammula L. **Lesser Spearwort**. Common.
Ranunculus hederaceus L. **Ivy-leaved Crowfoot** * Streams 1 and 2.
Ranunculus repens L. **Creeping Buttercup**
Rosa spinosissima L. **Burnet Rose** Rare round cliffs.
Rubia peregrina L. **Madder** Path leading up from North Haven.
Rubus fruticosus agg. **Blackberry** Subspecies not determined.
Rumex acetosa L. **Common Sorrel**
Rumex crispus L. **Sheep's Sorrel** Common.
Rumex crispus L. **Curled Dock**
S. non-scripta (L.). **Bluebell** Hoffm. & Link.
Sagina procumbens L. **Procumbent Pearlwort** *
Sagina subulata (Sw.) C. Presl **Heath Pearlwort** *. Common.
Sambucus nigra L. **Elder**
Samolus valeriana L. **Brookweed**.
Scilla verna Huds **Spring Squill**. Frequent round cliffs.
Scirpus cernuus Vahl. **Slender Club-rush** * Found by P. C., August 1947.
Scirpus fluitans L. **Floating Club-rush** * Found by J. B., 1946.
Scirpus setaceus L. **Bristle Club-rush** *
Scrophularia aquatica L. **Water Figwort**
Scrophularia nodosa L. **Figwort**
Scutellaria galericulata L. **Common Skullcap** Stream 3.
Scutellaria minor Huds. **Lesser Skullcap** Most marshy places.
Sedum acre L. **Wall Pepper** South Cliffs on the Neck. Rare
Sedum anglicum Huds. **English Stonecrop** Common. Cliffs.
Sedum telephium L. **Orpine** Cliffs along north coast.
Senecio jacobaea L. **Ragwort**
Senecio sylvaticus L. **Wood Groundsel** Path leading up from North Haven.
Senecio vulgaris L. **Groundsel**
Sieglingia decumbens (L.) Bernh. **Heath Grass** *
Silene maritima (Hornem.) **Sea Campion** With. Abundant all round coast.
Solanum dulcamara L. **Bittersweet**

Solidago Virgaurea L. **Golden Rod** Southern cliffs on the Neck.
Sonchus arvensis L. **Corn Sowthistle**
Sonchus asper (L.) Hill. **Prickly Sowthistle**
Sonchus oleraceus L. **Common Sowthistle**
Spergula sp. (probably S. arvensis L.) **Corn Spurrey** Introduced.
Spergularia rupicola Lebel. **Sand Spurrey** * Fairly common round
cliffs.
Stelleria alsine Grimm. **Bog Stitchwort**
Stelleria graminea L. **Lesser Stitchwort**
Stelleria media (L.) **Chickweed** * Vill.
Taraxacum officinale Weber. **Dandelion**
Teucrium Scorodonia L. **Wood Sage**. Common.
Thymus Serpyllum agg. **Thyme** Common.
Trifolium dubium Sibth. **Lesser Clover**
Trifolium repens L. **Dutch Clover**
Ulex europaeus L. **Gorse**
Ulex Gallii Planch. **Western Gorse** * Specimen sent by J. B., July
15th, 1946.
Umbilicus pendulinus DC. **Navelwort** Cliffs.
Urtica dioica L. **Common Nettle** Common, waste places, especially round
farm.
Urtica urens L. **Small Nettle** Waste ground on the Bridge separating
North and South Haven.
var. pseudo-botryoides Syme. Several plants on waste ground exposed
by trampling of cattle on the 'Bridge' separating North Haven from
South Haven.
Veronica arvensis L. **Wall Speedwell**
Veronica Beccabunga L. **Brooklime**
Veronica Chamaedrys L. **Germander Speedwell**
Veronica officinalis L. **Common Speedwell**
Vicia Cracca L. var. carnea Schrank. **Tufted Vetch** Fairly common on
bare patches and growing profusely on the northern slopes of the
Wick, together with plants which have salmon-pink flowers, var.
carnea.
Vicia sativa L. **Common Vetch** North cliffs near stream 4. No flowers.
Viola Riviniana Rchb. **Dog Violet**
Vulpia bromoides (L.) S. F. Gray **Rat's Tail Fescue** *. Old wall near
farm.